

# SDH 64

# SIMAG

## 58 kg Self-contained Ice Machine

Complete range: SDH 18 - SDH 24 - SDH 30 - SDH 40 - SDH 50 - SDH 64

### Technical features

- Stainless steel bodywork - scotch brite
- Vertical pump
- Built-in cleaning system
- Easily accessible components
- Low power and water consumption
- Optimum ratio between ice production and bin capacity
- Reduced dimensions
- Double defrosting system
- Refrigerant R290



### Internal bin capacity




20 kg of ice

950 cubes

### Type of ice

Hollow Cubes



### Machine dimensions

Net size WxDxH	485 x 575 x 805 mm
Net weight	48 kg
Shipping size WxDxH	550 x 640 x 940 mm
Shipping weight	57 kg

### Voltage

230/50/1 Standard version

### Technology and Certifications



MILANO OFFICE  
Sales Dept.  
Tel. +39 02 93900215  
e-mail: sales@simag.it  
Service Dept.  
Tel. +39 02 93960357  
e-mail: service@simag.it

SIMAG FAR EAST  
Singapore Office  
Tel. ++65 6738 5393  
e-mail: scotsman@scotsman.com.sg


[www.simag.it](http://www.simag.it)

# SDH 64

# SIMAG

## 58 kg Self-contained Ice Machine

Complete range: SDH 18 - SDH 24 - SDH 30 - SDH 40 - SDH 50 - SDH 64



DRAINAGE PER GRAVITY

### Operating Limits

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar	5 bar
Electrical voltage	-10 %	+10 %

Specifications and design are subject to change without notice

Model	Voltage	Daily production kg		Power input Watt (*)	Refrigerant		Fuse A	Consumptions (**)		
		10°C/10°C	21°C/10°C		Type	Charge kg		kWh/100kg	kWh/24h	Water l/h
SDH 64 A	230/50/1	58	54	460	R290	0.130	10	19.78	8.9	5.0

(\*) Power Input: at 43°C Ambient Temperature  
(\*\*) Water Consumption: at 32°C Air and 21°C Water